





Catalog

Arm c Shoulder







Recommended for:

- Various ENT Procedures
- Dental procedures (if teeth are present)
- Intracranial procedures
- Facial surgeries


Cephalus c Neck





Recommended for:

- Elbow repair



Lower leg cut transversely
at mid-tibia/mid-fibula point

Distal tibia and fibula bones included

Site of cut is wrapped in a latex glove
and flexible bandage to minimize
leaking




Foot and ankle intact for
various procedures

Recommended for:

- Orthopedic surgery to the foot or ankle
- Bunion-related procedures
- Procedures related to the toes and toenails
- Tendon repair


Forearm c Elbow



Recommended for:

- Surgery to the elbow and forearm
- Carpal tunnel release
- Vascular procedures pertaining to the arm


Hand c Wrist



Recommended for:

- Wrist-related procedures
- Carpel tunnel release
- Hand/finger related procedures


Hemi Pelvis – Mid Femur



Recommended for:


- Orthopedic surgeries pertaining to the hip

Hemi Pelvis – Toe Tip



Recommended for:


- Orthopedic surgeries pertaining to the hips, knees, ankles, and feet
- Vascular procedures pertaining to the lower limb



Recommended for:


- Arthroscopic knee procedures
- Ligament repair

Lower Leg



Site of disarticulation wrapped with a latex glove and flexible bandage to minimize leaking


Incision made inferior to patella. Knee joint then disarticulated and lower leg separated




Recommended for:

- Surgeries pertaining to the lower leg, ankle, and foot
- Vascular procedures concerning the lower leg


Mid Femur – Toe Tip



Pelvis – Mid Femur




Pelvis – Mid Femur c Uterus



Recommended for:

- Gynecological procedures
- Orthopedic surgeries pertaining to the hips
- Urological studies
- Bladder/pelvic floor mesh placement


Pelvis – Toe Tip



Recommended for:

- Orthopedic surgeries pertaining to the hips, knees, ankles, and feet
- Urological studies
- Bladder/pelvic floor mesh placement


Pelvis – Toe Tip c Uterus



Recommended for:

- Gynecological procedures
- Orthopedic surgeries pertaining to the hips, knees, ankles, and feet
- Urological studies
- Bladder/pelvic floor mesh placement


Shoulder




Recommended for:

- Surgery to the shoulder

Shoulder c Humerus






Recommended for:

- Spine procedures not including cervical region
- Abdominal procedures, including insufflation
- Open chest procedures
- Colorectal procedures
- Urological studies
- Various orthopedic surgeries


Torso (Disart Shoulder)



Recommended for:

- Spine procedures not including cervical region
- Abdominal procedures, including insufflation
- Open chest procedures
- Colorectal procedures
- Urological studies
- Various orthopedic surgeries


Torso (Modified)



Recommended for:

- Spine procedures not including cervical region
- Abdominal procedures, including insufflation
- Open chest procedures
- Colorectal procedures
- Urological studies


Torso c Cephalus



Recommended for:

- Spine procedures
- Abdominal procedures, including insufflation
- Open chest procedures
- Colorectal procedures
- Urological studies
- Thoracic insufflation procedures


Torso c Cephalus c Thighs




Recommended for:

- Spine procedures
- Abdominal procedures, including insufflation
- Open chest procedures
- Colorectal procedures
- Urological studies
- Hip Surgery
- Thoracic insufflation procedures

Torso c Legs




Torso c Legs (Modified)



Recommended for:

- Spine procedures not including cervical region
- Abdominal procedures, including insufflation
- Open chest procedures
- Colorectal procedures
- Urological studies
- Various orthopedic surgeries


Torso c Thighs



Recommended for:

- Spine procedures not including cervical region
- Abdominal procedures, including insufflation
- Open chest procedures
- Colorectal procedures
- Urological studies
- Hip Surgery
- Various orthopedic surgeries


Torso c Thighs (Disart Shoulder)



Cervical vertebrae cut transversely at approximately C3-C6 levels

Arms removed by disarticulation of the humerus

Specimen includes approximately C3-C6 through sacrum for various spine procedures



Areas of cephalus / arm removal are sewn closed to prevent leaking


All thoracic and abdominal viscera present (unless otherwise noted due to pre-mortem surgery)

Proximal legs and hip joints intact

Recommended for:

- Spine procedures not including cervical region
- Abdominal procedures, including insufflation
- Open chest procedures
- Colorectal procedures
- Urological studies
- Various orthopedic surgeries
- Hip Surgery


Torso c Thighs (Modified)



Recommended for:

- Spine procedures not including cervical region
- Abdominal procedures, including insufflation
- Open chest procedures
- Colorectal procedures
- Urological studies
- Hip Surgery

Torso c Thighs c Uterus



Recommended for:

- Spine procedures not including cervical region
- Abdominal procedures, including insufflation
- Open chest procedures
- Colorectal procedures
- Urological & gynecological procedures
- Various orthopedic surgeries